

DECK-MOUNT TELEPHONE FAUCET WITH CROSS HANDLES AND DECK COUPLERS

SKU: 900510

Code: SH419392, SH419393, SH419395, SH419396, SH489724, SH419394



FEATURES

Material: Metal

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Flow Rate: 13.3 gpm (50.3 L/min) @ 80 psi

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, CEC Listed, LISTED ID: 514930, SH441007*, 514932, 514928, 514931



ADDITIONAL FEATURES


- Choose between 2", 4", 6" deck-mount couplers.
- Hand shower rests 8" above the center of the faucet body.
- Spout drops 5" from center of faucet body.

REVISED 4/18/2025

DECK-MOUNT TELEPHONE FAUCET WITH CROSS HANDLES AND DECK COUPLERS

SKU: 900510

Code: SH419392, SH419393, SH419395, SH419396, SH489724, SH419394



REVISED 4/18/2025

DECK MOUNT COUPLERS

SKU: 900554

Code: SH296018, SH144410, SH114306, SH419417, SH339537, SH114307, SH329259, SH419419, SH129883, SH419416, SH419418, SH419421

FEATURES



LISTED ID: SH441007*



ADDITIONAL FEATURES


- 2", 4", or 6" deck couplers.
- Maximum deck thickness of 1".
- Sold in pairs.
- These couplers can be used on most of our tub faucets to convert them into deck mount faucets.
- Includes hookup, 1/2" IPS connections, 2" base.
- Faucet centers can be varied by using swing arm couplers for deck mount.

REVISED 5/13/2024

DECK MOUNT COUPLERS

SKU: 900554

Code: SH296018, SH144410, SH114306, SH419417, SH339537, SH114307, SH329259, SH419419, SH129883, SH419416, SH419418, SH419421



REVISED 5/13/2024