# DECK-MOUNT TELEPHONE FAUCET WITH CROSS HANDLES AND DECK COUPLERS

SKU: 900510

Code: SH144409, SH419392, SH446456, SH446422, SH419393, SH266476, SH419394, SH266477, SH419395, SH266478, SH419396, SH266479, SH295593, SH329513, SH196825, SH132302, SH489724



### **FEATURES**

Material: Metal construction for strength and durability

Installation Type: Deck Mount

Flow Rate: 13.3 gpm (50.3 L/min) @ 80 psi

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Spray Type: Full

Cartridge Type: Ceramic Disc

Swivel Spout: No

LISTED ID: SH441007\*



## **ADDITIONAL FEATURES**


- Choose between 2", 4", 6" deck-mount couplers.
- Hand shower rests 8" above the center of the faucet body.
- Spout drops 5" from center of faucet body.

REVISED 5/16/2024

# DECK-MOUNT TELEPHONE FAUCET WITH CROSS HANDLES AND DECK COUPLERS

SKU: 900510

Code: SH144409, SH419392, SH446456, SH446422, SH419393, SH266476, SH419394, SH266477, SH419395, SH266478, SH419396, SH266479, SH295593, SH329513, SH196825, SH132302, SH489724



REVISED 5/16/2024

## **DECK MOUNT COUPLERS**

SKU: 900554

Code: SH296018, SH144410, SH114306, SH419417, SH339537, SH114307, SH329259, SH419419, SH129883, SH419416, SH419418, SH419421

#### **FEATURES**



LISTED ID: SH441007\*



## **ADDITIONAL FEATURES**

- 2", 4", or 6" deck couplers.
- Maximum deck thickness of 1".
- Sold in pairs.
- These couplers can be used on most of our tub faucets to convert them into deck mount faucets.
- Includes hookup, 1/2" IPS connections, 2" base.
- Faucet centers can be varied by using swing arm couplers for deck mount.




REVISED 5/13/2024

## **DECK MOUNT COUPLERS**

SKU: 900554

Code: SH296018, SH144410, SH114306, SH419417, SH339537, SH114307, SH329259, SH419419, SH129883, SH419416, SH419418, SH419421



REVISED 5/13/2024