SKU: 906944-61-RR-AIR

Code: SH477866, SH477867, SH477868, SH477869, SH477871, SH477872, SH477873, SH479997, SH441848



FEATURES

Design: Traditional Product Finish: Antique Copper Patina Length: 61" Width: 31" Height: 26" Water Depth To Overflow: 15-1/2" **Exterior Treatment: Hammered** Interior Treatment: Hammered Metal Gauge/Thickness: 16 Gauge Faucet Included: No Shape: Oval Water Depth to Rim: 18-1/4" Remote Included: Yes Tub Overflow: Optional Tub Material: Copper Tub Interior Length: 45" Tub Interior Width: 21-1/2" Tap Deck: No Faucet Drillings: No Drillings Tub Weight Uncrated (lbs): 142 Tub Weight Crated (lbs): 210 Number of Jets: 12 Jet Color: Black

SKU: 906944-61-RR-AIR


Code: SH477866, SH477867, SH477868, SH477869, SH477871, SH477872, SH477873, SH479997, SH441848



ADDITIONAL FEATURES

- Hand-polished finish.
- Patina applied using French hot process, so color is ingrained in the copper.
- Copper tubs are handmade and therefore unique. Expect slight variations in finish and dimensions (± 1").
- Requires wall or floor-mount tub filler.
- To keep the tub in premium condition, it is recommended to not use anything abrasive for bathing or cleaning, including products like Epsom salts, bristle brushes, and harsh soaps.
- Includes a standard overflow which remains open to allow water into the drain.
- Air tub features 12 air jets that massage and relax. Remote control works within 15-foot radius and is designed to float. Tub and air system come fully assembled.
- Optional Quick Connect Drop-In Drain Kit Includes:
 - Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
 - Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

SKU: 906944-61-RR-AIR



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty

signature hardware.com

SKU: 906944-61-RR-AIR

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

• 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12-15 YEAR BATTERY LIFE

INSIDE OF BATH


• (12) MAXI AIR JETS WITH 24 OPENINGS






ELBOWS FOR AIR JETS

TEES FOR AIR JETS





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty