66" PAIGE COPPER DOUBLE-SLIPPER TUB - NICKEL INTERIOR

SKU: 909274-66
Code: SH474272, SH474273, SH474274, SH474275, SH474276, SH474277, SH474278, SH480041, SH441848

FEATURES

Design: Glam
Product Finish: Antique Copper Patina
Length: 66"
Width: 32"
Height: 31"
Water Depth To Overflow: 14-1/4"
Exterior Treatment: Hammered
Interior Treatment: Polished
Metal Gauge/Thickness: 16 Gauge
Faucet Included: No
Shape: Oval
Water Depth to Rim: 16-3/4"
Tub Overflow: Optional
Tub Material: Copper
Tub Interior Length: 550"
Tub Interior Width: 21"
Tap Deck: No
Faucet Drillings: No Drillings
Tub Weight Uncrated (lbs): 170
Tub Weight Crated (lbs): 280

66" PAIGE COPPER DOUBLE-SLIPPER TUB - NICKEL INTERIOR

SKU: 909274-66
Code: SH474272, SH474273, SH474274, SH474275, SH474276, SH474277, SH474278, SH480041, SH441848


ADDITIONAL FEATURES

- Smooth rim and base
- Please note: Tub is extra wide. Check door frame measurements before ordering.
- Nickel interior.
- Hand-polished finish.
- Patina applied using French hot process, so color is ingrained in the copper.
- Copper tubs are handmade and therefore unique. Expect slight variations in finish and dimensions (± 1").
- Requires wall-mount or floor-mount tub filler.
- To keep the tub in premium condition, it is recommended to not use anything abrasive for bathing or cleaning, including products like Epsom salts, bristle brushes, and harsh soaps.
- Overflow option includes a Standard overflow which remains open to allow water into the drain.
- Optional Quick Connect Drop-In Drain Kit Includes:
  - Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
  - Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

66" PAIGE COPPER DOUBLE-SLIPPER - NICKEL INTERIOR

SKU: 909274-66

66" (1676 mm)

18°

31" (787 mm)

14-1/4" (362 mm)

16-3/4" (425 mm)

23" (585 mm)

6-1/8" (156 mm)

14-1/2" (368 mm)
Optional Overflow Rough-in

2-1/2" (64 mm)

49" (1245 mm)

22" (558 mm)

32" (813 mm)

16" (406 mm)

All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.