SKU: 911036-59-AIR

Code: SH477831, SH477832, SH477833, SH477835, SH477836, SH477837, SH477838, SH479976, SH441848



FEATURES

Design: Traditional

Product Finish: Antique Copper Patina

Length: 59" Width: 31" Height: 31"

Exterior Treatment: Hammered Interior Treatment: Hammered Metal Gauge/Thickness: 16 Gauge

Faucet Included: No

Shape: Oval

Water Depth to Rim: 18-3/4"

Remote Included: Yes Tub Overflow: Yes Tub Material: Copper Tub Interior Length: 42-1/2" Tub Interior Width: 21-1/2"

Tap Deck: No

Faucet Drillings: No Drillings Tub Weight Uncrated (lbs): 142

Blower: Yes

Number of Jets: 12 Jet Color: Black

SKU: 911036-59-AIR

Code: SH477831, SH477832, SH477833, SH477835, SH477836, SH477837, SH477838, SH479976, SH441848




ADDITIONAL FEATURES

- Hand-polished finish.
- Patina applied using French hot process, so color is ingrained in the copper.
- Copper tubs are handmade and therefore unique. Expect slight variations in finish and dimensions (± 1").
- Requires wall- or floor-mount tub filler.
- To keep the tub in premium condition, it is recommended to not use anything abrasive for bathing or cleaning, including products like Epsom salts, bristle brushes, and harsh soaps.
- Includes Extended Pop-Up Drain with Swivel Head.
- Air tub features 12 air jets that massage and relax. Remote control works within 15-foot radius and is designed to float. Tub and air system come fully assembled.
- Optional Quick Connect Drop-In Drain Kit Includes:
 - Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
 - Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

REVISED 3/14/2023

SKU: 911036-59-AIR



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

SKU: 911036-59-AIR

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

• 2" Above the tub rim

Security device and hose can be mounted in wall


REMOTE CONTROL


- CG+/RTC-SENSOR-WP
- 12 15 YEAR BATTERY LIFE

INSIDE OF BATH

• (12) MAXI AIR JETS WITH 24 OPENINGS







All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

