

NOTTINGHAM FREESTANDING THERMOSTATIC TUB FAUCET AND SUPPLIES

SKU: 913707

Code: SH286388, SH286393



FEATURES

Installation Type: Freestanding
Features: Hand Shower Included;Thermostatic
Design: Traditional
Width: 11-7/8"
Faucet Centers: 7"
Drain Included: No
Handle Type: Cross
Hand Shower Hose Length: 60"
Hand Shower Style: Telephone
Water Supplies Included: Yes
Diverter Included: Yes
Spout Reach: 10-1/8"
Ceramic Disc Cartridges: Yes
Hot and Cold Indicators: No
Handle Material: Metal
Tub Faucet Material: Metal

REVISED 3/17/2023

NOTTINGHAM FREESTANDING THERMOSTATIC TUB FAUCET AND SUPPLIES

SKU: 913707

Code: SH286388, SH286393




ADDITIONAL FEATURES

- Thermostatic technology keeps shower temperature ± 1 degree Celsius.
- Freestanding design requires only under-floor supports.
- 4" of total height is below floor.
- Heavy-duty, 3/4" ID/1" OD brass pipe.
- Thermostatic tub faucet body with locking temperature button.
- Overall faucet dimensions: 15" W x 7-1/2" D x 17" H.
- Hand shower diverter valve.
- Faucet has 2-5/8" lever handles, hand shower with porcelain handle, flexible 5' hose, and slimline cradle.
- Quarter-turn ceramic disc cartridges.
- Set does not include shutoff valves.
- Underfloor access is required for proper installation. Installation on a concrete slab will require cutting and concrete removal.

REVISED 3/17/2023

FREESTANDING TELEPHONE TUB FAUCET AND SUPPLIES - CROSS HANDLES

SKU: 913701



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.