

WOODROW WALL-MOUNT TUB FAUCET WITH HAND SHOWER AND WALL COUPLERS

SKU: 917410

Code: SH418606, SH314655, SH418607, SH314656, SH418609, SH314658, SH419216, SH419217



FEATURES

Material: Metal construction for strength and durability

Installation Type: Wall Mount

Flow Rate: 6.8 gpm (25.7 L/min) @ 60 psi

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Spray Type: Full

Cartridge Type: Ceramic Disc

Swivel Spout: No

LISTED ID: 508377, SH441023*, 508386



ADDITIONAL FEATURES


- Wall-mount couplers included.
- 2" wall coupler shown in photography.
- Spout reach with 2" / 4" / 6" couplers: 3-1/4" / 5-1/4" / 7-1/4".
- Constructed with high quality materials.

REVISED 5/14/2024

WOODROW WALL-MOUNT TUB FAUCET WITH HAND SHOWER AND WALL COUPLERS

SKU: 917410

Code: SH418606, SH314655, SH418607, SH314656, SH418609, SH314658, SH419216, SH419217



REVISED 5/14/2024

2" WALL-MOUNT COUPLER - SET OF 2

SKU: 195762
Code: SH195762

FEATURES

Installation Type: Tub Wall Mount



ASME A112.18.1/CSA B125.1, LISTED ID: SH441023*



ADDITIONAL FEATURES

- For mounting a clawfoot tub faucet to a flat wall.
- 1-3/4" long.
- 1/2" FIP connections at the wall.
- Sold in pairs.

REVISED 5/14/2024

2" WALL-MOUNT COUPLER - SET OF 2

SKU: 195762
Code: SH195762



REVISED 5/14/2024