

55" IMLER ACRYLIC FREESTANDING AIR TUB

SKU: 920841-55-AIR

Code: SH478109, SH478110, SH478111, SH478112, SH478113, SH478114, SH478115, SH478116, SH478117, SH478118, SH478119, SH478120, SH478121, SH478122



FEATURES

Design: Modern
Product Finish: White
Material: acrylic
Length: 54-15/16"
Width: 26-3/4"
Height: 23-5/8"
Overflow Hole: true
Drain Included: Yes
Faucet Included: No
Shape: Oval
Tub Material: Acrylic
Tub Interior Length: 33-13/16"
Tub Interior Width: 16-9/16"
Tap Deck: No
Faucet Drillings: No Drillings
Water Capacity (Gallons): 54
Tub Weight Uncrated (lbs): 146

REVISED 3/27/2023

55" IMLER ACRYLIC FREESTANDING AIR TUB

SKU: 920841-55-AIR

Code: SH478109, SH478110, SH478111, SH478112, SH478113, SH478114, SH478115, SH478116, SH478117, SH478118, SH478119, SH478120, SH478121, SH478122




ADDITIONAL FEATURES

- All dimensions are ($\pm 1/2"$).
- Formed of two 3.8mm acrylic sheets, the air between acting as thermal insulator.
- Overflow includes a standard overflow which remains open to allow water into the drain.
- Insulation option: increases heat retention and prevents condensation due to water and air temperature fluctuations.
- Air tub features 12 air jets that massage and relax. Remote control works within 15-foot radius and is designed to float. Tub and air system come fully assembled.
- Optional Quick Connect Drop-In Drain Kit Includes:
 - Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
 - Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

REVISED 3/27/2023

55" IMLER ACRYLIC FREESTANDING AIR TUB

SKU: 920841-55-AIR



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

55" IMLER ACRYLIC FREESTANDING AIR TUB

SKU: 920841-55-AIR

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

- 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12 – 15 YEAR BATTERY LIFE

INSIDE OF BATH



- (12) MAXI AIR JETS WITH 24 OPENINGS



ELBOWS FOR
AIR JETS



TEES FOR
AIR JETS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.