

EXIRA THERMOSTATIC SHOWER WITH HAND SHOWER

SKU: 923585

Code: SH350675, SH350674, SH350676



FEATURES

Features: Hand Shower Included;Thermostatic

Design: Modern

Material: Brass

Assembly Required: No

Handle Type: Cross

Installation Type: Wall Mount

Shower Head Installation Type: Wall

Shower Head Diameter: 7-1/2"

Shower Head IPS: 1/2"

Shower Head Swivel: Yes

Hand Shower Hose Length: 48"

Hand Shower Flow Rate: 2.0 gpm (7.6 L/min) @ 80 psi

Shower Head Flow Rate: 2.0 gpm (7.6 L/min) @ 80 psi

REVISED 3/29/2023

EXIRA THERMOSTATIC SHOWER WITH HAND SHOWER

SKU: 923585

Code: SH350675, SH350674, SH350676




ADDITIONAL FEATURES

- Thermostatic and pressure balanced. Keeps shower temperature ± 1 degree Celsius.
- Equipped with backflow prevention.
- 7-1/2" diameter rainfall shower head.
- 1/2" IPS connections.
- Adjustable shower riser allows for an adjustable overall height of 42" - 67-1/2".
- Minimum/maximum height from inlet centers to top of riser: 36-1/4" / 62".
- Minimum/maximum height from inlet centers to shower head: 31-1/4" / 57".
- 14" shower arm.
- Includes 8-1/2" L hand shower, 4' spiral type hose, attached cradle.
- Faucet has 6-1/8" centers at wall with 1/2" Male IPS threaded fittings.

REVISED 3/29/2023

EXIRA THERMOSTATIC SHOWER WITH HAND SHOWER

SKU: 923585



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.