

56" BOYCE ACRYLIC FREESTANDING TUB - AIR MASSAGE

SKU: 925339-56-AIR

Code: SH456631, SH462646



FEATURES

Tub Material: Acrylic
Product Finish: White
Shape: Oval
Tub Drain Placement: Offset
Drain Included: Yes
Water Depth to Overflow: 14-3/16"
Water Capacity (Gallons): 54
Built-In Adjusters: Yes
Tub Weight Uncrated (lbs): 147
Optional Accessory: 428473

CSA B45.5/IAPMO Z124, Massachusetts Accepted, LISTED ID: SH112074AWH



ADDITIONAL FEATURES





- All dimensions are ($\pm 1/2$ ").
- Formed of two 3.8mm acrylic sheets, the air between acting as a thermal insulator.
- Air tub features 12 air jets that massage and relax. Remote control works within 15-foot radius and is designed to float. Tub and air system come fully assembled.
- Back of tub has a removable magnetic panel for easy access when installing deck-mount faucet.
- Before drilling for a rim-mounted faucet, refer to the specification sheet for faucet location and dimensions.

REVISED 8/14/2024

56" BOYCE ACRYLIC FREESTANDING TUB - AIR MASSAGE

SKU: 925339-56-AIR

Code: SH456631, SH462646



REVISED 8/14/2024

56" BOYCE ACRYLIC FREESTANDING TUB - AIR MASSAGE

SKU: 925339-56-AIR

Code: SH456631, SH462646

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

- 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12 – 15 YEAR BATTERY LIFE

INSIDE OF BATH



- (12) MAXI AIR JETS WITH 24 OPENINGS



ELBOWS FOR AIR JETS



TEES FOR AIR JETS



REVISED 8/14/2024