

66" SHEBA ACRYLIC SLIPPER TUB - AIR MASSAGE

SKU: 925341-66-AIR

Code: SH456319, SH462905



FEATURES

Features: Integral Drain & Overflow

Design: Modern

Product Finish: White

Material: Acrylic

Length: 66"

Width: 32"

Height: 29-1/8"

Water Depth To Overflow: 15-3/8"

Exterior Treatment: Smooth

Interior Treatment: Smooth

Drain Included: Yes

Drain Finish: White

Faucet Included: No

Shape: Oval

Water Depth to Rim: 17-3/4"

Size: 66"

Remote Included: Yes

Tub Overflow: Yes

Integral Drain & Overflow: Yes

Tub Material: Acrylic

Tub Interior Length: 46-1/2"

Tub Interior Width: 21-5/8"

Tap Deck: No

Faucet Drillings: No Drillings

Water Capacity (Gallons): 60

Built-In Adjusters: Yes

Blower: Yes

Heated Air Tub: No

Number of Jets: 12

Jet Color: White

On/Off Switch: No

REVISED 10/19/2023

66" SHEBA ACRYLIC SLIPPER TUB - AIR MASSAGE

SKU: 925341-66-AIR

Code: SH456319, SH462905






ADDITIONAL FEATURES

- All dimensions are ($\pm 1/2$ ").
- Formed of two 3.8mm acrylic sheets, the air between acting as a thermal insulator.
- Air tub features 12 air jets that massage and relax. Remote control works within 15-foot radius and is designed to float. Tub and air system come fully assembled.
- Foam Insulation option: increases heat retention and prevents condensation due to water and air temperature fluctuations.
- Optional Quick Connect Drop-In Drain Kit Includes:
 - Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
 - Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

REVISED 10/19/2023

66" SHEBA ACRYLIC SLIPPER TUB - AIR MASSAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

66" SHEBA ACRYLIC SLIPPER TUB - AIR MASSAGE

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

- 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12 – 15 YEAR BATTERY LIFE

INSIDE OF BATH



- (12) MAXI AIR JETS WITH 24 OPENINGS



ELBOWS FOR AIR JETS



TEES FOR AIR JETS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.