

KENNEDY THERMOSTATIC TUB & SHOWER SYSTEM

SKU: 927732

Code: SH405686, SH405687



ASME A112.18.1/CSA B125.1

FEATURES

Installation Type: Wall Mount

Features: Hand Shower Included;Thermostatic;Tub Spout Included

Design: Modern

Material: Brass

Base Plate Height: 7-1/2"

Assembly Required: No

Shape: Round

Handle Type: Cross

Installation Type: Wall Mount

Base Plate Width: 7-1/2"

Shower Head Installation Type: Wall

Shower Head Diameter: 7-1/2"

Shower Head Material: Brass

Shower Head Spray: Rainfall

Shower Arm Included: Yes

Shower Arm Extension: 15-3/4"

Shower Arm Height: 3"

Valve Trim Diameter: 7-1/2"

Hand Shower Hose Length: 59"

Hand Shower Flow Rate: 1.8 gpm

Rainfall Shower Head Flow Rate: 1.8 gpm

REVISED 3/29/2023

KENNEDY THERMOSTATIC TUB & SHOWER SYSTEM

SKU: 927732

Code: SH405686, SH405687





ADDITIONAL FEATURES

- Shower system includes wall mount rainfall shower head, wall mount slide bar with hand shower, hand shower water connection, tub spout and a thermostatic 3-way in-wall diverter.
- Thermostatic technology keeps shower temperature ± 1 degree Celsius.
- Hand shower water connection features a 1/2" IPS connection.
- 3-way diverter features 1/2" IPS inlets, and controls water flow between 3 shower outlets.
- Diverter includes the valve and metal cross handles.
- The diverter directs water to one spray function at a time.

REVISED 3/29/2023

KENNEDY THERMOSTATIC 3-WAY IN-WALL SHOWER DIVERTER


SKU: 927732



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

KENNEDY WALL-MOUNT RAINFALL SHOWER HEAD


SKU: 927732



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

KENNEDY HAND SHOWER



SKU: 927732



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

KENNEDY TUB SPOUT

SKU: 927732



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.