

COOPER PRESSURE BALANCE SHOWER SET WITH WALL-MOUNT RAINFALL SHOWER HEAD

SKU: 940987

Code: SH433299, SH433302, SH433304, SH433305, SH433306, SH433309, SH433310



FEATURES

Material: Brass

Shower Head Swivel: Yes

Shower Head Spray: Rainfall

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, CEC Listed, Massachusetts Accepted, LISTED ID: 515401, 525440, 530660, 515398, 515397, 525442, 530661, 515395, 515403, 515396, 515405




ADDITIONAL FEATURES

- Shower system includes wall-mount rainfall shower head and pressure balance valve with lever handle.

REVISED 6/27/2025

COOPER PRESSURE BALANCE SHOWER SET WITH WALL-MOUNT RAINFALL SHOWER HEAD


SKU: 940987
Code: SH433299, SH433302, SH433304, SH433305, SH433306, SH433309, SH433310



REVISED 6/27/2025

COOPER PRESSURE BALANCE SHOWER SET WITH WALL-MOUNT RAINFALL SHOWER HEAD

SKU: 940987
Code: SH433299, SH433302, SH433304, SH433305, SH433306, SH433309, SH433310



REVISED 6/27/2025

BOSTONIAN RAINFALL NOZZLE SHOWER HEAD

SKU: 926392

Code: SH250950, SH250953, SH250954, SH482193, SH250949, SH482194, SH250948, SH482191, SH250945, SH482192, SH250943, SH250940, SH250958, SH250955, SH250959



FEATURES

Material: Brass

Shower Head Spray: Rainfall

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, Massachusetts Accepted, LISTED ID: 515394, 515395, 515396, 564662, 515397, 564663, 515398, 564664, 515399, 564665, 515401, 515402, 515403, 515404, 515405




ADDITIONAL FEATURES

- Can be installed on a ceiling-mount or wall mount shower arm.
- 6", 8" and 10" shower heads are adjustable and feature a swivel connection.
- 12" shower head is stationary and does not swivel.

REVISED 6/27/2025

BOSTONIAN RAINFALL NOZZLE SHOWER HEAD

SKU: 926392
Code: SH250950, SH250953, SH250954, SH482193, SH250949, SH482194, SH250948, SH482191, SH250945, SH482192, SH250943, SH250940, SH250958, SH250955, SH250959



Reference A	Reference B	Reference C
5-1/4" (133 mm)	3" (76 mm)	2" (51 mm)
7-3/4" (197 mm)	3-1/2" (89 mm)	2-1/2" (64 mm)
10" (254 mm)	3-1/2" (89 mm)	3" (76 mm)
12" (305 mm)	4-1/4" (108 mm)	3-1/4" (83 mm)

REVISED 6/27/2025

LOW PATTERN SURE GRIP FLANGE

SKU: 902337

Code: SH272, SH271, SH484081, SH484082, SH485508, SH485507

FEATURES



WaterSense by IAPMO



ADDITIONAL FEATURES


- Choose from 5/8" OD or 1/2" IPS.
- For use with standard shower arms, select 1/2".

REVISED 6/27/2025

LOW PATTERN SURE GRIP FLANGE

SKU: 902337


Code: SH272, SH271, SH484081, SH484082, SH485508, SH485507



REVISED 6/27/2025

LOW PATTERN SURE GRIP FLANGE

SKU: 902337
Code: SH272, SH271, SH484081, SH484082, SH485508, SH485507



REVISED 6/27/2025

COOPER PRESSURE BALANCED SHOWER VALVE

SKU: 940965

Code: SH433221, SH433222, SH433223



FEATURES

Material: Brass

Diverter Outlets: 1

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, LISTED ID: 525440, 525441, 525442



ADDITIONAL FEATURES

REVISED 6/27/2025