

HOLLYN SIMPLE SELECT THERMOSTATIC SHOWER SYSTEM WITH DUAL-FUNCTION SHOWER HEAD & 3

SKU: 948003

Code: SH443742, SH443743



FEATURES

Shower Head Swivel: No

Hand Shower Spray: Full

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Diverter Outlets: 3

Cartridge Type: Thermostatic

ASME A112.18.1/CSA B125.1, LISTED ID: 510359, 518624, 518625



ADDITIONAL FEATURES

- Waterfall Shower Head Max Flow Rate: 1.8 GPM (6.8 L/min) @ 80 psi

REVISED 5/24/2024

HOLLYN SIMPLE SELECT 3-WAY THERMOSTATIC VALVE

SKU: 948001

Code: SH443614, SH443615



FEATURES

Material: Brass

Diverter Outlets: 3

Cartridge Type: Thermostatic


ASME A112.18.1/CSA B125.1, LISTED ID: 510359



REVISED 5/24/2024

HOLLYN SIMPLE SELECT 3-WAY THERMOSTATIC VALVE

SKU: 948001
Code: SH443614, SH443615



REVISED 5/24/2024

SQUARE SWIVEL BODY SPRAY

SKU: 922506

Code: SH350717, SH350716, SH350718



FEATURES

Material: Brass

Shower Head Swivel: Yes

Flow Rate: 2.0 gpm (7.6 L/min) @ 80 psi

Connection Type: 1/2" IPS

ASME A112.18.1/CSA B125.1, LISTED ID: 518624, 518625, 518626




ADDITIONAL FEATURES

- Overall dimensions: 2-3/8" L x 2-3/8" H.
- Projects 1-3/4" from wall.
- Spray area measures: 1-3/8" L x 1-3/8" H.
- Easy-to-clean silicone nozzles.
- Metal ball joint allows for swivel function.
- Wall mount.
- 1/2" NPT male thread inlet.
- Made of solid brass.
- Sold individually.

REVISED 5/24/2024

SQUARE SWIVEL BODY SPRAY

SKU: 922506
Code: SH350717, SH350716, SH350718



REVISED 5/24/2024