HOLLYN SIMPLE SELECT THERMOSTATIC SHOWER SYSTEM WITH DUAL-FUNCTION SHOWER HEAD

SKU: 948007 Code: SH443749, SH443751



ASME A112.18.1/CSA B125.1

FEATURES

Features: Thermostatic Design: Modern Material: Brass Base Plate Height: 7-7/8" Mounting Hardware Included: Yes Assembly Required: Yes Shape: Rectangular Handle Type: Lever Installation Type: Wall Mount Base Plate Width: 5-5/8" Shower Head Installation Type: Wall Shower Head Material: Brass Shower Head Spray: Multi-Function Shower Head Length: 4-1/4" Shower Head Width: 6-1/2" Shower Arm Included: Yes Shower Arm Extension: 13" Shower Head Swivel: No Valve Trim Width: 5-5/8" Valve Trim Height: 7-7/8" **Diverter Included: Yes** Shower Head Flow Rate: 2.5 gpm (9.5 L/min) @ 80 psi

HOLLYN SIMPLE SELECT THERMOSTATIC SHOWER SYSTEM WITH DUAL-FUNCTION SHOWER HEAD

SKU: 948007 Code: SH443749, SH443751




ADDITIONAL FEATURES

• Waterfall Shower Head Max Flow Rate: 1.8 GPM (6.8 L/min) @ 80 psi

REVISED 3/29/2023

HOLLYN SIMPLE SELECT 2-WAY THERMOSTATIC VALVE TRIM

SKU: 948007




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.




See Website For Warranty Information signaturehardware.com/warranty

HOLLYN DUAL FUNCTION SHOWER HEAD

SKU: 948007





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty