

BEASLEY KITCHEN FAUCET WITH PULL-DOWN SPRING SPOUT

SKU: 948322

Code: SHXCBE207



ASME A112.18.1/CSA B125.1

NSF/ANSI 372

NSF/ANSI 61

NSF/ANSI/CAN 61

CEC Listed

LISTED ID: SHXCBE207XX

NSF/ANSI/CAN 61-9:Q≤1



FEATURES

Installation Type: Single-Hole

Features: Pull-Down

Design: Traditional

Material: Brass

Length: 5-1/8"

Width: 11-1/4"

Height: 23-1/4"

Base Plate Diameter: 2-3/8"

Faucet Centers: Single-Hole

Drain Included: No

Faucet Material: Metal

Handle Type: Lever

Handle Length: 3-1/2"

IPS: 5/8"

Flow Rate: 1.8 gpm (6.8L/min) max @ 60 psi

Kitchen Faucet Holes: 1

Hand Sprayer Material: ABS

Max. Countertop Thickness: 3"

Height To Spout: 8-1/8"

Spout Reach: 9-1/4"

Swivel Spout: true

Handle Height: 3-1/2"

Ceramic Disc Cartridges: Yes

Hot and Cold Indicators: No

REVISED 9/18/2023

BEASLEY KITCHEN FAUCET WITH PULL-DOWN SPRING SPOUT

SKU: 948322

Code: SHXCBE207




ADDITIONAL FEATURES

- Single handle kitchen faucet.
- Lead-Free body.
- Metal lever handle.
- Faucet head features control for spray or aerated stream.

REVISED 9/18/2023

BEASLEY KITCHEN FAUCET WITH PULL-DOWN SPRING SPOUT



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.