

HIBISCUS FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 948658

Code: SHHBFS2000G, SHHBFS2000G, SHFSR2000WS



FEATURES

Installation Type: Freestanding
Features: Hand Shower Included
Design: Modern
Width: 13-1/4"
Height: 41-1/4"
Faucet Centers: Single-Hole
Drain Included: No
Handle Type: Lever
Hand Shower Hose Length: 58"
Hand Shower Material: Zinc
Height To Spout: 40-3/8"
Spout Reach: 9-1/4"
Ceramic Disc Cartridges: Yes
Hot and Cold Indicators: No
Handle Material: Metal
Tub Faucet Material: Metal
Height to Control Valve: 32-1/2"
Spout Width: 1-7/8"

ASME A112.18.1/CSA B125.1

REVISED 3/17/2023

HIBISCUS FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 948658

Code: SHHBFS2000G, SHHBFS2000G, SHFSR2000WS




ADDITIONAL FEATURES

- Spout max. flow rate: 8.5 gpm (32.2 L/min) @ 60 psi.
- Hand shower max. flow rate: 1.8 gpm (6.8 L/min) @ 80 psi.
- Single function hand shower (full spray).
- Integral diverter to hand shower.
- Handshower includes factory installed backflow prevention check valve.
- Optional rough-in valve includes stops.
- Underfloor access is required for proper installation. Installation on an existing concrete slab will require cutting and concrete removal.

REVISED 3/17/2023

HIBISCUS FREESTANDING TUB FAUCET WITH HAND SHOWER



SKU: 948658
SHHBFS2000G



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

HIBISCUS OPTIONAL TUB FAUCET ROUGH-IN VALVE WITH STOPS

SKU: 448006
SHFSR2000WS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.