

BEASLEY IN-WALL SHOWER VOLUME CONTROL

SKU: 948777

Code: SHBE9007, SH6020, SH6040



FEATURES

Installation Type: Wall Mount
Design: Traditional
Material: Brass
Width: 4-3/8"
Height: 5-1/4"
Mounting Hardware Included: Yes
Assembly Required: No
Handle Type: Lever
Installation Type: Wall Mount
Valve Trim Width: 4-3/8"
Valve Trim Height: 4-3/8"
Valve Trim Diameter: 4-3/8"


ASME A112.18.1/CSA B125.1

REVISED 3/22/2023

BEASLEY IN-WALL SHOWER VOLUME CONTROL

SKU: 948777

Code: SHBE9007, SH6020, SH6040




ADDITIONAL FEATURES

- Overall Projection: 3-7/8"
- Wall thickness range: 1" to 1-3/4"
- For proper installation, requires use of a thermostatic valve and trim.
- Optional Rough-in Valve:
 - Bronze valve body.
 - Ceramic cartridge.
 - Recommended valve installation depth 1-5/8" to 2-3/8"

REVISED 3/22/2023

BEASLEY IN-WALL SHOWER VOLUME CONTROL



SKU: 948777
SHBE9007, SHBE9007Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

OPTIONAL VOLUME CONTROL ROUGH-IN VALVE WITH 1/2" -OR- 3/4" CONNECTION

SKU: 948777
SH6020, SH6040



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.