SKU: 951344

Code: SHWSCLZ107LH, SHLZ1HLLEV, SHLZ4DP



FEATURES

Material: Metal construction for strength and durability Faucet Centers: Single-Hole Installation Type: Single-Hole Flow Rate: 1.2 gpm (4.5 L/min) @ 60 psi Cartridge Type: Ceramic Disc Swivel Spout: No Drain Type: Metal push-pop with overflow

Optional Accessory: Deck plate: SHLZ4DP*

ASME A112.18.1/CSA B125.1, NSF/ANSI 372, NSF/ANSI 61, NSF/ANSI/CAN 61, NSF/ANSI/CAN 61-9:Q≤1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHLZ1HLLEV*, SHWSCLZ107LH*, SHLZ4DP*




ADDITIONAL FEATURES

- Drain is compatible with sinks that have an overflow hole.
- A knurled and smooth aerator is included with the faucet.

REVISED 6/7/2025


SKU: 951344

Code: SHWSCLZ107LH, SHLZ1HLLEV, SHLZ4DP




SKU: 951344

Code: SHWSCLZ107LH, SHLZ1HLLEV, SHLZ4DP



SKU: 951344 Code: SHWSCLZ107LH, SHLZ1HLLEV, SHLZ4DP



REVISED 6/7/2025

(ISI) SIGNATURE HARDWARE