## 60" RAKSHA DOUBLE-WALL HAMMERED COPPER SOAKING TUB

SKU: 953284

Code: SH484137, SH484212, SH484213, SH484214, SH484215, SH484216, SH484217, SH484218, SH484219, SH484220



ASME A112.18.2/CSA B125.2 CSA B45.12/IAPMO Z402



### **FEATURES**

Design: Modern

Product Finish: Antique Copper Patina

Length: 60" Width: 30" Height: 34"

Water Depth To Overflow: 24-3/8" Exterior Treatment: Hammered Interior Treatment: Hammered Metal Gauge/Thickness: 14 Gauge

Drain Included: Optional Faucet Included: No

Shape: Oval
Tub Overflow: Yes
Tub Material: Copper
Tub Interior Length: 28-1/2"
Tub Interior Width: 23-1/2"

Tap Deck: No

Faucet Drillings: No Drillings Tub Weight Uncrated (lbs): 310 Tub Weight Crated (lbs): 260 Recommended Accesory: 7894580

### 60" RAKSHA DOUBLE-WALL HAMMERED COPPER SOAKING TUB


SKU: 953284

Code: SH484137, SH484212, SH484213, SH484214, SH484215, SH484216, SH484217, SH484218, SH484219, SH484220





### **ADDITIONAL FEATURES**

- Made of 14-gauge copper.
- Hand-polished finish.
- Patina applied using French hot process, so color is ingrained in the copper.
- Tubs are handmade and therefore unique. Expect slight variations in finish and dimensions (± 1").
- Requires wall- or floor-mount tub filler.
- Overflow drain includes a Standard overflow which remains open to allow water into the drain.
- Insulation option: increases heat retention and prevents condensation due to water and air temperature fluctuations.
- To keep the tub in premium condition, it is recommended to not use anything abrasive for bathing or cleaning, including products like Epsom salts, bristle brushes, and harsh soaps.
- Optional Quick Connect Drop-In Drain Kit Includes:
- Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
- Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.



# 60" RAKSHA DOUBLE-WALL HAMMERED COPPER SOAKING TUB





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.