

# BERWYN FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 953648

Code: SHBWFS2000G2, SHFSR2000WS, SHFSR2000



ASME A112.18.1/CSA B125.1  
CEC Listed  
WaterSense by IAPMO  
LISTED ID: SHBWFS2000G2XX



## FEATURES

Installation Type: Floor Mount  
Features: Hand Shower Included  
Design: Modern  
Length: 8-1/8"  
Width: 11-7/16"  
Height: 37-1/2"  
Base Plate Length: 6-5/16"  
Assembly Required: No  
Drain Included: No  
Handle Type: Lever  
Handle Length: 3"  
Base Plate Width: 6-5/16"  
Tub Filler Spout Reach: 7-5/16"  
Hand Shower Length: 7-5/16"  
Hand Shower Hose Length: 59"  
Hand Shower Material: Metal  
Hand Shower Flow Rate: 1.75 gpm (6.6 L/min) @80 psi  
Diverter Included: Yes  
Diverter Outlets: 2  
Height To Spout: 36"  
Swivel Spout: No  
Handle Height: 28-1/4"  
Hot and Cold Indicators: No  
Handle Material: Metal  
Tub Faucet Material: Metal  
Weight: 14 lbs

REVISED 1/12/2024

# BERWYN FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 953648

Code: SHBWFS2000G2, SHFSR2000WS, SHFSR2000




## ADDITIONAL FEATURES

- Single function hand shower dimensions are 1-1/8" W x 7-5/16" H .
- When purchased with valve, spout flow rate is 9.5 gpm (35.7 L/min) @ 80 psi.


REVISED 1/12/2024

# BERWYN FREESTANDING TUB FAUCET WITH HAND SHOWER





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# OPTIONAL FREESTANDING TUB FAUCET ROUGH-IN VALVE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# OPTIONAL FREESTANDING TUB FAUCET ROUGH-IN VALVE WITH STOPS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.