### ARNELLE DUAL-FLUSH WALL-MOUNT ELONGATED TOILET

SKU: 953819

Code: SH484210, SH484128, SH484130, SH484131, SH484132



### **FEATURES**

Material: Vitreous China Product Finish: White Toilet Style: 1-Piece

Flush Handle Location: Wall Bowl Height: 15-3/8"to 16-1/2"

Bowl Shape: Elongated

Gallons Per Flush: Dual Flush - 1.6 / 1.1 GPF (6.0 / 4.1 LPF)

Flush Type: Gravity

Trapway Diameter: 3-1/8"

Seat Included: Yes

Water Spot: 3-7/8" x 4-7/8"

Optional Accessory: SH111003FABG, SH111003FAMB,

SH111003FAMC, SH111003FAWH

ASME A112.19.2/CSA B45.1, WaterSense by IAPMO, LISTED ID: SH111003-B-WC, SH111003-B-WC, SH111003WC



### **ADDITIONAL FEATURES**


- Insulated tank.
- Removable actuator plate for tank maintenance.
- Install at an adjustable height from 15" to 20-3/4".
- In-wall carrier required for installation.
- Dual-flush toilet. 1.08 / 1.6 gallons per flush.
- Max Weight: 881 Pounds.
- Compatible with Geberit carriers: 111.335 / 111.798 / 111.012


REVISED 7/17/2024

## ARNELLE DUAL-FLUSH WALL-MOUNT ELONGATED TOILET

SKU: 953819

Code: SH484210, SH484128, SH484130, SH484131, SH484132






REVISED 7/17/2024

## ARNELLE DUAL-FLUSH WALL-MOUNT ELONGATED TOILET

SKU: 953819

Code: SH484210, SH484128, SH484130, SH484131, SH484132



### CONCEALED IN-WALL TANK CARRIER FOR WALL MOUNT TOILET

SKU: 953818

Code: SH484123, SH484125, SH484126, SH484127



### **FEATURES**

Material: Vitreous China Toilet Style: Wall-Hung Flush Handle Location: Wall Bowl Height: 15" to 20-3/4"

Gallons Per Flush: Dual Flush - 1.6 / 1.1 GPF (6.0 / 4.1 LPF)

Flush Type: Gravity Flush Valve Size: 1-1/2" Seat Included: No

ASME A112.19.2/CSA B45.1, WaterSense by IAPMO, LISTED ID: SH111003-B-WC Must be kitted with certified bowl, SH111003-B-WC







### **ADDITIONAL FEATURES**

- Dual-flush toilet. 1.08 / 1.6 gallons per flush.
- Compatible with the Arnelle Wall-Mount Toilet.
- Bowl sold separately.

# CONCEALED IN-WALL TANK CARRIER FOR WALL MOUNT TOILET

SKU: 953818

Code: SH484123, SH484125, SH484126, SH484127

