

# HIBISCUS THERMOSTATIC SHOWER SYSTEM WITH HAND SHOWER

SKU: 953893

Code: SHHB9009,SH6006,SHRSA120S,SHSH2080G,SHHS4080G,SHH1010,SHWES2050,SHHB9005,SH6103,SHHB9007,SH6040,SHHB9009Z,SH6006,SHRSA120SZ,SHSH2080GZ,SHHS4080GZ,SHH1010Z,SHWES2050,SHHB9005Z,SH6103,SHHB9007Z,SH6040



## FEATURES

Mounting Hardware Included: Yes  
Assembly Required: No  
Handle Type: Lever  
NPT Connection: 1/2"  
Shower Head Installation Type: Wall-Mount  
Number of Shower Heads: 1  
Shower Head Material: 304-Grade Stainless Steel  
Shower Head Spray: Rainfall  
Shower Head Length: 11-3/4"  
Shower Head Width: 11-3/4"  
Shower Arm Included: Yes  
Shower Arm Extension: 12"  
Shower Arm Height: 2-3/8"  
Shower Head IPS: 1/2"  
Shower Head Swivel: Yes  
Valve Trim Width: 6-11/16"  
Valve Trim Height: 6-11/16"  
Hand Shower Length: 8-7/16"  
Hand Shower Hose Length: 60"  
Hand Shower Material: Brass  
Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi  
Diverter Included: Yes  
Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1

ASSE 1016 Type T

ICC/ANSI A117.1

CEC Listed

Massachusetts Accepted

LISTED ID: SHHB9009\*, SH6006, SHRSA120S\*,  
SHSH2080G\*, SHHS4080G\*, SHH1010\*,  
SHWES2050xy, SHHB9005\*, SH6103, SHHB9007\*,  
SH6040



REVISED 7/7/2023

# HIBISCUS THERMOSTATIC SHOWER SYSTEM WITH HAND SHOWER

SKU: 953893

Code: SHHB9009,SH6006,SHRSA120S,SHSH2080G,SHHS4080G,SHH1010,SHWES2050,SHHB9005,SH6103,SHHB9007,SH6040,SHHB9009Z,SH6006,SHRSA120SZ,SHSH2080GZ,SHHS4080GZ,SHH1010Z,SHWES2050,SHHB9005Z,SH6103,SHHB9007Z,SH6040





## ADDITIONAL FEATURES

- Thermostatic technology keeps shower temperature within 1 degree Celsius.
- Temperature outlet factory calibrated to 104 degrees Fahrenheit and can be easily adjusted up or down to user's comfort level.
- Six total settings allow for shared water flow between outlets, giving you the ability to use two functions at once.
- Metal handles.
- 12" shower arm.
- Single function shower head (full spray) with easy-clean silicone nozzles.
- Single function hand shower.
- 60" - 72" stretchable metal shower hose.
- Adjustable angle for hand shower mount.
- Must be installed in accordance with provided installation instructions.
- Recommended valve installation depth 1-5/8" to 2-3/8"
- Included Rough-in valves:
  - Thermostatic rough-in valve features scald guard protection, high temperature limit stop, integral water stops and check valve, a ceramic cartridge, and a bronze valve body.
  - Volume control rough-in valve features a ceramic disc cartridge and brass valve body.
  - Diverter valve features a ceramic disc cartridge and brass valve body. An available Single-Function Diverter valve Cartridge restricts water flow to one outlet at a time.

REVISED 7/7/2023

# VOLUME CONTROL ROUGH-IN VALVE


SKU: 948546  
SH6020, SH6040



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# HIBISCUS IN-WALL SHOWER VOLUME CONTROL HANDLE



SKU: 948557  
SHHB9007, SHHB9007Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# OPTIONAL VOLUME CONTROL ROUGH-IN VALVE WITH 1/2" -OR- 3/4" CONNECTION


SKU: 948557  
SH6020, SH6040



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# HIBISCUS THERMOSTATIC SHOWER VALVE


SKU: 948558  
SHHB9009, SHHB9009Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# HIBISCUS OPTIONAL THERMOSTATIC VALVE WITH 1/2" -OR- 3/4" CONNECTION


SKU: 948558  
SH6004, SH6006



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# HIBISCUS IN-WALL SHOWER DIVERTER

SKU: 948902  
SHHB9005, SHHB9005Z




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



# HIBISCUS OPTIONAL 3-WAY IN-WALL DIVERTER ROUGH-IN VALVE - 3/4"


SKU: 948902  
SH6103



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# SWIVEL WATER SUPPLY ELBOW AND BRACKET FOR HAND SHOWER


SKU: 948936  
SHWES2050



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# 60" STRETCHABLE METAL HAND SHOWER HOSE


SKU: 948938  
SHH1010



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# MODERN SQUARE WALL-MOUNT SHOWER ARM WITH FLANGE


SKU: 948956  
SHRSA120S, SHRSA120SZ, SHRSA180S, SHRSA180Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# 3-WAY IN-WALL DIVERTER ROUGH-IN VALVE

SKU: 953056  
SH6101, SH6103



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.