

HIBISCUS THERMOSTATIC SHOWER SYSTEM WITH 3 BODY SPRAYS AND HAND SHOWER

SKU: 953897

Code: SHHB9009,SH6006,SHRSA120S,SHSH2080G,SHHS4080G,SHH1010,SHWES2050,SHHB9005,SH6103,SHHB9007,SH6040,SHBS6040E



FEATURES

Installation Type: Wall
Features: Thermostatic, Hand Shower Included
Mounting Hardware Included: Yes
Assembly Required: No
Handle Type: Lever
Body Spray Flow Rate: 2.5 gpm (9.5L/min) max @ 60 ps
NPT Connection: 1/2"
Body Sprays: Yes
Shower Head Installation Type: Wall-Mount
Number of Shower Heads: 1
Shower Head Material: 304-Grade Stainless Steel
Shower Head Spray: Rainfall
Shower Head Length: 11-3/4"
Shower Head Width: 11-3/4"
Shower Arm Included: Yes
Shower Arm Extension: 12"
Shower Arm Height: 2-3/8"
Shower Head IPS: 1/2"
Shower Head Swivel: Yes
Valve Trim Width: 6-11/16"
Valve Trim Height: 6-11/16"
Hand Shower Length: 8-7/16"
Hand Shower Hose Length: 60"
Hand Shower Material: Brass
Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi
Diverter Included: Yes
Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1

ASSE 1016 Type T

ICC/ANSI A117.1

CEC Listed

Massachusetts Accepted

LISTED ID: SHHB9009*, SH6006, SHRSA120S*,
SHSH2080G*, SHHS4080G*, SHH1010*,
SHWES2050xy, SHHB9005*, SH6103, SHHB9007*,
SH6040, SHBS6040E*



REVISED 7/19/2023

HIBISCUS THERMOSTATIC SHOWER SYSTEM WITH 3 BODY SPRAYS AND HAND SHOWER

SKU: 953897

Code: SHHB9009,SH6006,SHRSA120S,SHSH2080G,SHHS4080G,SHH1010,SHWES2050,SHHB9005,SH6103,SHHB9007,SH6040,SHBS6040E





ADDITIONAL FEATURES

- Thermostatic technology keeps shower temperature within 1 degree Celsius.
- Temperature outlet factory calibrated to 104 degrees Fahrenheit and can be easily adjusted up or down to user's comfort level.
- Six total settings allow for shared water flow between outlets, giving you the ability to use two functions at once.
- Metal handles.
- Single function shower head (full spray) with easy-clean silicone nozzles.
- Single function hand shower.
- 60" - 72" stretchable metal shower hose.
- Adjustable angle for hand shower mount.
- Body spray jet swivels with a 3-9/16" surface area.
- Body spray flow rate: 2.5 gpm (9.5L/min) max @ 80 psi.
- Must be installed in accordance with provided installation instructions.
- Recommended valve installation depth 1-5/8" to 2-3/8"
- Included Rough-in valves:
 - Thermostatic rough-in valve features scald guard protection, high temperature limit stop, integral water stops and check valve, a ceramic cartridge, and a bronze valve body.
 - Volume control rough-in valve features a ceramic disc cartridge and brass valve body.
 - Diverter valve features a ceramic disc cartridge and brass valve body. An available Single-Function Diverter valve Cartridge restricts water flow to one outlet at a time.

REVISED 7/19/2023

VOLUME CONTROL ROUGH-IN VALVE


SKU: 948546
SH6020, SH6040



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

HIBISCUS THERMOSTATIC SHOWER VALVE


SKU: 948558
SHHB9009, SHHB9009Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

HIBISCUS OPTIONAL THERMOSTATIC VALVE WITH 1/2" -OR- 3/4" CONNECTION


SKU: 948558
SH6004, SH6006



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

HIBISCUS IN-WALL SHOWER DIVERTER


SKU: 948902
SHHB9005, SHHB9005Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

HIBISCUS OPTIONAL 3-WAY IN-WALL DIVERTER ROUGH-IN VALVE - 3/4"



SKU: 948902
SH6103



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

CONTEMPORARY SQUARE WATER SUPPLY ELBOW FOR HAND SHOWER


SKU: 948933
SHWE2020



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

SWIVEL WATER SUPPLY ELBOW AND BRACKET FOR HAND SHOWER


SKU: 948936
SHWES2050



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

60" STRETCHABLE METAL HAND SHOWER HOSE


SKU: 948938
SHH1010



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

MODERN SQUARE WALL-MOUNT SHOWER ARM WITH FLANGE


SKU: 948956
SHRSA120S, SHRSA120SZ, SHRSA180S, SHRSA180Z



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

3-WAY IN-WALL DIVERTER ROUGH-IN VALVE

SKU: 953056
SH6101, SH6103



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.