

# RETROFIT EXPOSED PIPE SHOWER SET

SKU: 953949

Code: SIG485434, SIG485435, SIG485436



## FEATURES

Material: Brass

Shower Head Swivel: Yes

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Cartridge Type: Ceramic Disc

ASSE 1016 Type T, CEC Listed, CALGreen, Massachusetts Accepted, LISTED ID: SHSR7010\*



## ADDITIONAL FEATURES

Exposed Pipe Shower Rail :

Converts a standard shower outlet into a slide bar with a hand shower and shower head connection.

Push button slide for hand shower.

Diverter switches between either the shower head or hand shower for individual use.

180 degrees swivel shower hose connection.

Stretchable Metal Hand Shower Hose:

60" - 72" stretchable metal shower hose.

Double spiral construction.

Metal conical nut.

Single function hand shower :

Factory installed backflow prevention check valve.

REVISED 6/4/2024

# RETROFIT EXPOSED PIPE SHOWER RAIL

SKU: 948915  
Code: SHSR7010



## FEATURES

Material: Brass  
Connection Type: 1/2" IPS  
Diverter Outlets: 2

ASME A112.18.1/CSA B125.1, LISTED ID: SHSR7010\*




## ADDITIONAL FEATURES

- Converts a standard shower outlet into a slide bar with a hand shower and shower head connection.
- Push button slide for hand shower.
- Diverter switches between either the shower head or hand shower for individual use.
- 180 degrees swivel shower hose connection.

REVISED 5/24/2024

# RETROFIT EXPOSED PIPE SHOWER RAIL

SKU: 948915  
Code: SHSR7010



REVISED 5/24/2024

# CONTEMPORARY TUBULAR HAND SHOWER

SKU: 948923

Code: SHHS4030G, SH488912, SHHS4030GPB



## FEATURES

Material: ABS

Hand Shower Spray: Full

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHHS4030G\*



## ADDITIONAL FEATURES


- Single function hand shower.
- Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.
- Hose sold separately.

REVISED 5/24/2024

# CONTEMPORARY TUBULAR HAND SHOWER

SKU: 948923

Code: SHHS4030G, SH488912, SHHS4030GPB



REVISED 5/24/2024

# 60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938

Code: SHH1010, SH484205, SH485500, SHH1010PB

## FEATURES

Connection Type: 1/2" IPS



ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHH1010\*



## ADDITIONAL FEATURES


- 60" - 72" stretchable metal shower hose.
- Double spiral construction.
- Metal conical nut.

REVISED 5/24/2024

# 60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938

Code: SHH1010, SH484205, SH485500, SHH1010PB



REVISED 5/24/2024

# 8" MODERN ROUND RAINFALL SHOWER HEAD - 1.75 GPM

SKU: 948948-18

Code: SHRSB820RG, SH484203, SH485499, SHRSB820RGPB



## FEATURES

Material: ABS

Shower Head Swivel: Yes

Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID:  
SHRSB820RG\*





## ADDITIONAL FEATURES

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint.

REVISED 11/22/2024



# 8" MODERN ROUND RAINFALL SHOWER HEAD - 1.75 GPM



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.