## RETROFIT EXPOSED PIPE SHOWER SET

SKU: 953949

Code: SIG485434, SIG485435, SIG485436



#### **FEATURES**

Material: Brass

Shower Head Swivel: Yes

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Cartridge Type: Ceramic Disc

ASSE 1016 Type T, CEC Listed, CALGreen, Massachusetts Accepted, LISTED ID: SHSR7010\*



#### **ADDITIONAL FEATURES**

**Exposed Pipe Shower Rail:** 

Converts a standard shower outlet into a slide bar with a hand shower and shower head connection.

Push button slide for hand shower.

Diverter switches between either the shower head or hand shower for individual use.

180 degrees swivel shower hose connection.

Stretchable Metal Hand Shower Hose:

60" - 72" stretchable metal shower hose.

Double spiral construction.

Metal conical nut.

Single function hand shower:

Factory installed backflow prevention check valve.

**REVISED 6/4/2024** 

## RETROFIT EXPOSED PIPE SHOWER RAIL

SKU: 948915 Code: SHSR7010



#### **FEATURES**

Material: Brass

Connection Type: 1/2" IPS

Diverter Outlets: 2

ASME A112.18.1/CSA B125.1, LISTED ID: SHSR7010\*




#### **ADDITIONAL FEATURES**

- Converts a standard shower outlet into a slide bar with a hand shower and shower head connection.
- Push button slide for hand shower.
- Diverter switches between either the shower head or hand shower for individual use.
- 180 degrees swivel shower hose connection.

## RETROFIT EXPOSED PIPE SHOWER RAIL

SKU: 948915 Code: SHSR7010



## CONTEMPORARY TUBULAR HAND SHOWER

SKU: 948923

Code: SHHS4030G, SH488912, SHHS4030GPB



#### **FEATURES**

Material: ABS

Hand Shower Spray: Full

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHHS4030G\*




## **ADDITIONAL FEATURES**


- Single function hand shower.
- Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.
- Hose sold separately.

## CONTEMPORARY TUBULAR HAND SHOWER

SKU: 948923

Code: SHHS4030G, SH488912, SHHS4030GPB





## 60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938

Code: SHH1010, SH484205, SH485500, SHH1010PB



#### **FEATURES**

Connection Type: 1/2" IPS

ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHH1010\*




## **ADDITIONAL FEATURES**


- 60" 72" stretchable metal shower hose.
- Double spiral construction.
- Metal conical nut.

## 60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938

Code: SHH1010, SH484205, SH485500, SHH1010PB





# 8" MODERN ROUND RAINFALL SHOWER HEAD - 1.8 GPM - CHROME

SKU: 948948-18

Code: SHRSB820RG, SH484203, SH485499, SHRSB820RGPB



#### **FEATURES**

Material: ABS

Shower Head Swivel: Yes

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHRSB820RG\*





## **ADDITIONAL FEATURES**

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint.

## MODERN ROUND RAINFALL SHOWER HEAD

## - 1.8 GPM





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.