GREYFIELD PRESSURE BALANCE SHOWER SYSTEM WITH HAND SHOWER

SKU: 953970

Code: SHGF8010, SH4001, SHRSA123, SHRSB820RG, SHHS4110G, SHH1010, SHWES2050, SHGF9005, SH6103



ASME A112.18.1/CSA B125.1 CEC Listed WaterSense by IAPMO





FEATURES

Installation Type: Wall Mount

Features: Pressure-Balanced, Rough-In Included

Design: Modern Material: Brass,ABS

Mounting Hardware Included: Yes

Assembly Required: Yes

Shape: Round Handle Type: Lever NPT Connection: 1/2"

Shower Head Installation Type: Wall

Number of Shower Heads: 1

Shower Head Spray: Single Function

Shower Head Length: 8"
Shower Head Width: 8"
Shower Arm Included: Yes
Shower Arm Extension: 12-3/8"
Shower Arm Height: 5-3/8"
Shower Head: 1/2" NPSM
Shower Head Swivel: Yes
Valve Trim Width: 6-11/16"
Valve Trim Height: 6-11/16"
Hand Shower Length: 9-5/8"
Hand Shower Hose Length: 60"

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Diverter Included: Yes Diverter Outlets: 3

Hand Shower Material: ABS

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Rainfall Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Ceramic Disc Cartridges: Yes

GREYFIELD PRESSURE BALANCE SHOWER SYSTEM WITH HAND SHOWER

SKU: 953970

Code: SHGF8010, SH4001, SHRSA123, SHRSB820RG, SHHS4110G, SHH1010, SHWES2050, SHGF9005, SH6103



ADDITIONAL FEATURES

Greyfield Pressure Balance Shower Valve Trim:

- Metal handle.
- Metal escutcheon.

Pressure Balance Tub & Shower Rough-In Valve:

- Pressure balance valve with integral stops.
- One-piece cartridge design for ease of maintenance.
- Back-to-back capability.

12" Wall-Mount Rainfall Shower Arm:

- Solid brass construction.
- Escutcheon included.

8" Modern Round Rainfall Shower Head - 1.8 GPM:

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint.

Round Paddle Multifunction Hand Shower:

- 3 function hand shower (full spray, massage spray, full & massage spray).
- Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.

60" Stretchable Metal Hand Shower Hose:

• Double spiral constructed hose.

Swivel Water Supply Elbow and Bracket for Hand Shower:

- 1/2" Female wall connection.
- 1/2" Male hose connection.
- Brass inlet/outlet, ABS body.

Greyfield In-Wall Shower Diverter Trim:

- Metal handle.
- Metal Escutcheon.


3-Way In-Wall Diverter Rough-In Valve - 3/4":

• For installations only requiring 2 outlets, the 3rd outlet may be looped into one of the existing pipes.

REVISED 1/15/2024


GREYFIELD PRESSURE BALANCE SHOWER VALVETRIM


CODE: SHGF8010



GREYFIELD PRESSURE BALANCE TUB AND SHOWER ROUGH-IN VALVE


CODE: SH4001






GREYFIELD WALL-MOUNT SHOWER ARM


CODE: SHRSA123



GREYFIELD TUB SPOUT WITH DIVERTER


CODE: SHTS86






GREYFIELD RAINFALL SHOWER HEAD


CODE: SHRSB820RG






GREYFIELD MULTIFUNCTION HAND SHOWER


CODE: SHHS4110G






GREYFIELD HAND SHOWER HOSE


CODE: SHH1010








GREYFIELD SWIVEL WATER SUPPLY ELBOW AND BRACKET

CODE: SHWES2050










GREYFIELD IN-WALL SHOWER DIVERTER

CODE: SHGF9005



GREYFIELD OPTIONAL 3-WAY IN-WALL DIVERTER ROUGH-IN VALVE

CODE: SH6103

