GREYFIELD SIMPLE SELECT SHOWER SYSTEM WITH SLIDE BAR AND HAND SHOWER

SKU: 953977

Code: SHGF8040, SH5001SSG, SHRSA123, SHRSB820RG, SHHS4110G, SHH1010, SHWE2040, SHSB3040, SHRSB82



ASME A112.18.1/CSA B125.1 ASSE 1016 Type P CEC Listed WaterSense by IAPMO





FEATURES

Installation Type: Wall Mount

Features: Simple Select, Rough-In Included

Design: Modern Material: Brass,ABS

Mounting Hardware Included: Yes

Assembly Required: Yes

Shape: Round Handle Type: Lever NPT Connection: 1/2"

Shower Head Installation Type: Wall

Number of Shower Heads: 1

Shower Head Spray: Single Function

Shower Head Length: 8"
Shower Head Width: 8"
Shower Arm Included: Yes
Shower Arm Extension: 12-3/8"
Shower Arm Height: 5-3/8"
Shower Head: 1/2" NPSM
Shower Head Swivel: Yes
Valve Trim Width: 7-1/2"
Valve Trim Height: 7-1/2"
Slide Bar Length: 28"

Hand Shower Length: 9-5/8" Hand Shower Hose Length: 60" Hand Shower Material: ABS

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Diverter Included: Yes Diverter Outlets: 3

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Rainfall Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Ceramic Disc Cartridges: Yes

GREYFIELD SIMPLE SELECT SHOWER SYSTEM WITH SLIDE BAR AND HAND SHOWER

SKU: 953977

Code: SHGF8040, SH5001SSG, SHRSA123, SHRSB820RG, SHHS4110G, SHH1010, SHWE2040, SHSB3040, SHRSB82



ADDITIONAL FEATURES

Greyfield Pressure Balance Shower Valve Trim:

- Metal handle.
- Metal escutcheon.
- Easy mounting brackets. Pressure Balance Rough-In Valve for Simple Select Trims:
- Dual functionality allows for one or both shower features to run at a time.
- Cast bronze body.12" Wall-Mount Rainfall Shower Arm:
- Solid brass construction.
- Escutcheon included. ".

8" Modern Round Rainfall Shower Head - 1.8 GPM:

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint. ".

Round Paddle Multifunction Hand Shower:

- 3 function hand shower (full spray, massage spray, full & massage spray). Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.

60" Stretchable Metal Hand Shower Hose:

• Double spiral constructed hose. ".

Swivel Water Supply Elbow and Bracket for Hand Shower:

- 1/2" Female wall connection.
- 1/2" Male hose connection.
- Brass inlet/outlet, ABS body.


Contemporary Slide Bar for Hand Shower:

- Metal bar and mounting posts.
- Adjustable angle for hand shower mount.

REVISED 1/15/2024


GREYFIELD SIMPLE SELECT 2-WAY PRESSURE BALANCE SHOWER VALVE TRIM


CODE: SHGF8040




GREYFIELD OPTIONAL PRESSURE BALANCE ROUGH-IN VALVE

CODE: SH5001SSG







STANDARD:


Pressure (psi)		20	40	60	80
Simultaneous (Both Valves Open)	Total (gpm)	3.4	5	6.3	7.4
	Outlet A (gpm)	1.2	2.2	2.9	3.5
	Outlet B (gpm)	2.2	2.8	3.4	3.9
Separate (A or B Closed)	Outlet A (gpm)	2.5	3.9	4.8	5.5
	Outlet B (gpm)	2.5	3.9	4.8	5.5

WITH FLOW RESTRICTOR:

Pressure (psi)		20	40	60	80
Simultaneous (Both Valves Open)	Total (gpm)	1.20	1.40	1.53	1.64
	Outlet A (gpm)	0.43	0.56	0.64	0.68
	Outlet B (gpm)	0.77	0.84	0.89	0.96
Separate (A or B Closed)	Outlet A (gpm)	1.17	1.38	1.49	1.59
	Outlet B (gpm)	1.16	1.39	1.49	1.60


GREYFIELD WALL-MOUNT SHOWER ARM


CODE: SHRSA123



GREYFIELD RAINFALL SHOWER HEAD


CODE: SHRSB820RG






GREYFIELD MULTIFUNCTION HAND SHOWER


CODE: SHHS4110G






GREYFIELD HAND SHOWER HOSE


CODE: SHH1010






GREYFIELD WATER SUPPLY ELBOW

CODE: SHWE2040





GREYFIELD SLIDE BAR FOR HAND SHOWER

CODE: SHSB3040

