GREYFIELD SIMPLE SELECT SHOWER SYSTEM WITH SLIDE BAR AND HAND SHOWER

SKU: 953977

Code: SHGF8040, SH5001SSG, SHRSA123, SHRSB820RG, SHHS4110G, SHH1010, SHWE2040, SHSB3040, SHRSB82



FEATURES

Material: Brass, ABS Shower Head Swivel: Yes Shower Head Spray: Rainfall

Shower Head Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi Hand Shower Spray: Full, Massage, Massage + Full Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Flow Rate: Rough-in Valve Capacity: 7.4 gpm (28 L/min) @ 80 psi

Connection Type: 1/2" MIP and SWT

Diverter Outlets: 2

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHRSB820RG*, SHWE2040*, SHH1010*, SHRSA123*, SHHS4110G*, N/A, SHGF8040*, SH5001SSG



ADDITIONAL FEATURES

Greyfield Pressure Balance Shower Valve Trim:

- · Metal handle.
- Metal escutcheon.
- Easy mounting brackets. Pressure Balance Rough-In Valve for Simple Select Trims:
- Dual functionality allows for one or both shower features to run at a time.
- Cast bronze body.12" Wall-Mount Rainfall Shower Arm:
- Solid brass construction.
- Escutcheon included. ".

8" Modern Round Rainfall Shower Head - 1.8 GPM:

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint. ".

Round Paddle Multifunction Hand Shower:

- 3 function hand shower (full spray, massage spray, full & massage spray). Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.



8" MODERN ROUND RAINFALL SHOWER HEAD -1.75 GPM

SKU: 948948-18 Code: SHRSB820RG



FEATURES

Material: ABS

Shower Head Swivel: Yes Shower Head Spray: Rainfall

Shower Head Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi


Connection Type: NPSM

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHRSB820RG*




ADDITIONAL FEATURES


- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint.



8" MODERN ROUND RAINFALL SHOWER HEAD -1.75 GPM

SKU: 948948-18 Code: SHRSB820RG





WALL-MOUNT RAINFALL SHOWER ARM

SKU: 948955

Code: SHRSA123, SHRSA181, SHRSA150

FEATURES

Material: Stainless Steel Connection Type: NPT, IPS



ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHRSA123*, SHRSA181*, SHRSA150*




ADDITIONAL FEATURES

- All dimensions are (± 1/2").
- Escutcheon included.

WALL-MOUNT RAINFALL SHOWER ARM

SKU: 948955

Code: SHRSA123, SHRSA181, SHRSA150



CONTEMPORARY SLIDE BAR FOR HAND SHOWER

SKU: 948919 Code: SHSB3040




LISTED ID: N/A

ADDITIONAL FEATURES

• Adjustable angle for hand shower mount.

CONTEMPORARY SLIDE BAR FOR HAND SHOWER

SKU: 948919 Code: SHSB3040



ROUND PADDLE MULTIFUNCTION HAND SHOWER

SKU: 948920 Code: SHHS4110G



FEATURES

Material: ABS

Hand Shower Spray: Full, Massage, Massage + Full Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHHS4110G*





ADDITIONAL FEATURES

- 3 function hand shower (full spray, massage spray, full & massage spray).
- Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.
- Hose sold separately.

ROUND PADDLE MULTIFUNCTION HAND SHOWER

SKU: 948920 Code: SHHS4110G





60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938 Code: SHH1010



FEATURES

Material: Metal

Connection Type: 1/2" IPS

ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHH1010*





ADDITIONAL FEATURES

- 60" 72" stretchable metal shower hose.
- Double spiral construction.
- Metal conical nut.

60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938 Code: SHH1010





CONTEMPORARY ROUND WATER SUPPLY ELBOW FOR HAND SHOWER

SKU: 932365 Code: SHWE2040



FEATURES

Material: Metal

Connection Type: 1/2" NPT

ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHWE2040*





ADDITIONAL FEATURES

- 1/2" Female wall connection.
- 1/2" Male hose connection.

CONTEMPORARY ROUND WATER SUPPLY ELBOW FOR HAND SHOWER

SKU: 932365 Code: SHWE2040





GREYFIELD SIMPLE SELECT 2-WAY PRESSURE BALANCE SHOWER VALVE

SKU: 948973

Code: SHGF8040, SH5001SSG



FEATURES

Material: Brass

Flow Rate: Rough-in Valve Capacity: 7.4 gpm (28 L/min) @ 80 psi

Connection Type: 1/2" MIP and SWT

Diverter Outlets: 2

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, Massachusetts Accepted, LISTED ID: SHGF8040*, SH5001SSG



ADDITIONAL FEATURES


- Dual functionality allows for one or both shower features to run at a time.
- Optional Rough-in Valve:
 - Pressure balanced with integral stops.
 - One-piece cartridge design for ease of maintenance.
 - Back-to-back capability.
 - Adjustable temperature limit stop.
 - Cast bronze body.
 - Quick remove plaster guard.
 - Easy mounting brackets.
 - Valve Dimensions: 4-7/8" L x 4-3/8" W x 5-1/2" D .



GREYFIELD SIMPLE SELECT 2-WAY PRESSURE BALANCE SHOWER VALVE

SKU: 948973

Code: SHGF8040, SH5001SSG



PRESSURE BALANCE ROUGH-IN VALVE FOR SIMPLE SELECT TRIMS

SKU: 460073 Code: SH5001SSG



FEATURES

Material: Bronze

Flow Rate: Rough-in Valve Capacity: 7.4 gpm (28 L/min) @ 80 psi

Connection Type: 1/2" MIP and SWT

Diverter Outlets: 2

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, Massachusetts Accepted, LISTED ID: SH5001SSG



ADDITIONAL FEATURES

- Dual functionality allows for one or both shower features to run at a time.
- Pressure balanced with integral stops.
- One-piece cartridge design for ease of maintenance.
- Back-to-back capability.
- Adjustable temperature limit stop.
- Cast bronze body.
- Quick remove plaster guard.
- Easy mounting brackets.
- Compatible with Greyfield and Hibiscus Simple Select trims.