

# SEFINA WALL-MOUNT BATHROOM FAUCET

SKU: 488010  
Code: SHWSCSF207



## FEATURES

Material: Metal construction for strength and durability  
Installation Type: Wall Mount  
Swivel Spout: No  
Drain Type: Metal push-pop with overflow

Required for Installation: Rough-in valve: SHWMR2000

ASME A112.18.1/CSA B125.1, NSF/ANSI 372, NSF/ANSI 61, NSF/ANSI/CAN 61, NSF/ANSI/CAN 61-9:Q≤1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHWSCSF207\*\*




## ADDITIONAL FEATURES

- Drain is compatible with sinks that have an overflow hole.
- Flow rate of 1.2 gpm (4.54L/per minute) @ 60 psi when purchased with valve. Valve required for use.

REVISED 5/21/2024

# SEFINA WALL-MOUNT BATHROOM FAUCET

SKU: 488010  
Code: SHWSCSF207




REVISED 5/21/2024

# SEFINA WALL-MOUNT BATHROOM FAUCET

SKU: 488010

Code: SHWSCSF207



REVISED 5/21/2024

# WALL-MOUNT FAUCET ROUGH-IN VALVE

SKU: 485019  
Code: SHWMR2000

## FEATURES

Material: Metal construction for strength and durability  
Cartridge Type: Ceramic Disc



ASME A112.18.1/CSA B125.1, NSF/ANSI 372, NSF/ANSI 61, NSF/ANSI/CAN 61, NSF/ANSI/CAN 61-9:Q≤1,  
Massachusetts Accepted, LISTED ID: SHWMR2000




## ADDITIONAL FEATURES

- Durable brass construction.
- Ceramic cartridge.
- Flow rate of 14 gpm (53/L per minute) @ 60 psi when used with a wall mount tub faucet.
- Flow rate of 1.2 gpm (4.54L/per minute) @ 60 psi when used with a wall mount lav faucet.

REVISED 5/20/2024

# WALL-MOUNT FAUCET ROUGH-IN VALVE

SKU: 485019  
Code: SHWMR2000



REVISED 5/20/2024