## MARCEAU PRESSURE BALANCE TUB AND SHOWER SYSTEM - CROSS HANDLE

SKU: 955183-C

Code: SHMA441001, SHMA441003, SH4001, SH441209, SHRSA123, SH441208



#### **FEATURES**

Material: Metal

Shower Head Swivel: Yes Shower Head Spray: Full

Shower Head Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi

Flow Rate: Rough-in Valve Capacity: 6.3 gpm (23.8 L/min) @ 80 psi

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, CEC Listed, CALGreen, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SH4001, SHRSA123\*, SHMA441001\*, SHMA441003\*, SH441208\*, SH441209\*



#### **ADDITIONAL FEATURES**

- Metal construction for ultimate strength and durability.
- Single function shower head with easy clean nozzles.
- Tub spout diverter.
- Included Rough-in valve:
  - Pressure balance valve with integral stops.
  - One-piece ceramic disc cartridge design for ease of maintenance.
  - Back-to-back capability.
  - Adjustable temperature limit stop.
  - Quick remove plaster guard.
  - Easy mounting brackets.

## MARCEAU PRESSURE BALANCE SHOWER VALVE - CROSS HANDLE

SKU: 955199-C

Code: SHMA441001, SHMA441003, SH4001



#### **FEATURES**

Material: Metal

Flow Rate: Rough-in Valve Capacity: 6.3 gpm (23.8 L/min) @ 80 psi

Cartridge Type: Ceramic Disc

Required for Installation: SH4001

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, Massachusetts Accepted, LISTED ID: SHMA441001\*, SHMA441003\*, SH4001




#### **ADDITIONAL FEATURES**


- Metal construction for ultimate strength and durability.
- May purchase with or without valve. Value required for use. (SH4001)
- When purchased with Rough-in Valve:
  - Pressure balance valve with integral stops.
  - One-piece ceramic disc cartridge design for ease of maintenance.
  - Back-to-back capability.
  - Adjustable temperature limit stop.
  - Quick remove plaster guard.
  - Easy mounting brackets.

## MARCEAU PRESSURE BALANCE SHOWER VALVE - CROSS HANDLE

SKU: 955199-C

Code: SHMA441001, SHMA441003, SH4001





### PRESSURE BALANCE TUB & SHOWER ROUGH-IN VALVE

SKU: 446520 Code: SH4001



#### **FEATURES**

Material: Brass

Flow Rate: Rough-in Valve Capacity: 6.3 gpm (23.8 L/min) @ 80 psi

Connection Type: 1/2" MIP and SWT

Cartridge Type: Ceramic Disc

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, Massachusetts Accepted, LISTED ID: SH4001





#### **ADDITIONAL FEATURES**

- Pressure balance valve with integral stops.
- One-piece ceramic cartridge design for ease of maintenance.
- Back-to-back capability
- Adjustable temperature limit stop.
- Quick remove plaster guard and easy mounting brackets.

## PRESSURE BALANCE TUB & SHOWER ROUGH-IN VALVE

SKU: 446520 Code: SH4001





### WALL-MOUNT RAINFALL SHOWER ARM

SKU: 948955

Code: SHRSA123, SHRSA181, SH485514, SHRSA150

#### **FEATURES**

Material: Stainless Steel Connection Type: 1/2" NPT



ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHRSA123\*, SHRSA181\*, SHRSA150\*



#### **ADDITIONAL FEATURES**


- All dimensions are (± 1/2").
- Escutcheon included.

REVISED 12/3/2024

### WALL-MOUNT RAINFALL SHOWER ARM

SKU: 948955

Code: SHRSA123, SHRSA181, SH485514, SHRSA150



REVISED 12/3/2024

## 7" ROUND SINGLE-FUNCTION 1.75 GPM SHOWER HEAD

SKU: 955181 Code: SH441209



#### **FEATURES**

Material: ABS

Shower Head Swivel: Yes Shower Head Spray: Full

Shower Head Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, CALGreen, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SH441209\*





#### **ADDITIONAL FEATURES**

• Single function swivel shower head with easy clean nozzles.

# 7" ROUND SINGLE-FUNCTION 1.75 GPM SHOWER HEAD

SKU: 955181 Code: SH441209





### MARCEAU TUB SPOUT WITH DIVERTER

SKU: 955176 Code: SH441208



**FEATURES**Material: Metal

ASME A112.18.1/CSA B125.1, CEC Listed, Massachusetts Accepted, LISTED ID: SH441208\*



#### **ADDITIONAL FEATURES**

### MARCEAU TUB SPOUT WITH DIVERTER

SKU: 955176 Code: SH441208

