## MARCEAU DUAL CONTROL PRESSURE BALANCE SHOWER TRIM - LEVER HANDLES

SKU: 955200-L

Code: SHMA441019, SH6001



#### **FEATURES**

Material: Metal

Flow Rate: Rough-in Valve Capacity - 6.21 gpm (23.5L/min) at 80 psi

Cartridge Type: Ceramic Disc

Required for Installation: SH6001

ASME A112.18.1/CSA B125.1, ICC/ANSI A117.1, Massachusetts Accepted, LISTED ID: SHMA441019\*, SH6001



### **ADDITIONAL FEATURES**


- Metal construction for ultimate strength and durability.
- May purchase with or without valve. Value required for use. (SH6001)
- When purchased with Rough-in Valve:
  - Dual control pressure balance valve with integral stops.
  - One-piece ceramic disc cartridge design for ease of maintenance.
  - Back-to-back capability.
  - Adjustable temperature limit stop.
  - Quick remove plaster guard.
  - Easy mounting brackets.
  - Optional air test cap available (ACF4001AIR)




# MARCEAU DUAL CONTROL PRESSURE BALANCE SHOWER TRIM - LEVER HANDLES

SKU: 955200-L

Code: SHMA441019, SH6001





### DUAL CONTROL PRESSURE BALANCE ROUGH-IN VALVE

SKU: 559885 Code: SH6001



#### **FEATURES**

Material: Metal

Flow Rate: Rough-in Valve Capacity - 6.21 gpm (23.5L/min) at 80 psi

Cartridge Type: Ceramic Disc

Optional Accessory: ACF4001AIR

ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SH6001



### **ADDITIONAL FEATURES**

- Dual control pressure balance valve with integral stops.
- One-piece ceramic disc cartridge design for ease of maintenance.
- Back-to-back capability.
- Adjustable temperature limit stop.
- Quick remove plaster guard.
- Easy mounting brackets.
- Optional air test cap available (ACF4001AIR)

## DUAL CONTROL PRESSURE BALANCE ROUGH-IN VALVE

SKU: 559885 Code: SH6001

