LEXIA WALL-MOUNT BATHROOM FAUCET

Product Code: SHWSCLE208



Product Features

- Max. flow rate: 1.2 gpm (4.5 L/min) @ 60 psi
- Metal handles
- Installation: 3-hole
- Metal construction for strength and durability
- Swivel spout: No
- Drain type: push-activated metal pop-up
- Required rough-in valve: SHWMR2000

Product Dimensions

- Overall height: 3-9/16"
- Spout reach: 8-5/8"

Codes and Certifications

- Meets ASME A112.18.1 / CSA B125.1
- NSF/ANSI/CAN61: Q≤1
- cUPC/IAPMO listed
- ADA compliant
- Certified to Cal Green
- EPA WaterSense certified
- Massachusetts Accepted
- Listed on California Energy Commission MAEDbS Database


Finish Options


- BG - Brushed Gold
- CP - Chrome
- GM - Gunmetal
- MB - Matte Black
- PB - Polished Brass
- PN - Polished Nickel
- ZBN - Brushed Nickel


Revised: 07/22/26

LEXIA WALL-MOUNT BATHROOM FAUCET

Product Code: SHWSCLE208








All dimensions and specifications are nominal and may vary.

Revised: 07/22/26

WALL-MOUNT FAUCET ROUGH-IN VALVE

Product Code: SHWMR2000



Product Features

- Brass construction
- Ceramic disc cartridges
- Flow rate of 14 gpm (53/L per minute) @ 60 psi when used with a wall mount tub faucet
- Flow rate of 1.2 gpm (4.54L/per minute) @ 60 psi when used with a wall mount lav faucet
- Requires valve trim (sold separately)

Optional Accessories:

- SHWMR2000EXT - Extension kit
- OBPF220050 - Replacement cold cartridge
- OBPF220051 - Replacement hot cartridge


Codes and Certifications


- Meets ASME A112.18.1 / CSA B125.1
- cUPC/IAPMO listed
- Massachusetts Accepted
- NSF/ANSI/CAN 372
- NSF/ANSI/CAN 61: Q≤0.5

Revised: 07/22/26

WALL-MOUNT FAUCET ROUGH-IN VALVE

Product Code: SHWMR2000





All dimensions and specifications are nominal and may vary.

Revised: 07/22/26